



City of Conway
Office of the Mayor
Mayor Tab Townsell
www.cityofconway.org

**INVITATION
TO THE VENDOR ADDRESSED:**

Bidders are invited to furnish the items listed herein in accordance with the terms and conditions attached. Sealed bids must be in the Office of the Mayor; no later than 10:00am, Wednesday, December 10th, 2014 at which time all bids will be opened and read in the Downstairs Conference Room in City Hall. Successful bidders will receive purchase order, within 30 days after City Council approval, if necessary. ***Unsigned bids will be rejected.***

SPECIFICATIONS FOR 96 GALLON UNIVERSAL REFUSE ROLL CARTS (Green)

&

SPECIFICATIONS FOR UNIVERSAL MOBILE RECYCLING CONTAINERS (Blue)

INSTRUCTIONS

- a. All bids must be submitted on the form provided. The bid must also include the specifications, as written by the City.
- b. Any exceptions from the specification shall be listed on a separate page marked "Exceptions". Supporting documents must be submitted for each exception and included with the "Exceptions" section.
- c. Failure to provide supporting evidence to each exception will nullify the said exception.
- d. Any deviation from the specifications in the actual review of the product bid, and not declared as such, will result in the disqualification of the vendor's bid
- e. **Please note these carts will be ordered on an as needed basis, bid quote price should be valid for at least a full calendar year of January 1st, 2015 – December 31st, 2015, unless otherwise negotiate between the winning bid and the City of Conway . NO EXCEPTIONS**

PRODUCT LITERATURE

- a. The bidder shall submit product literature with the bid.

SUPPORTING DOCUMENTS

- a. The bidder shall include in its bid all evidence and documentation supporting the conformity of the product with the herewith specifications which is not printed on the brochures or catalogues mentioned in paragraph.

SPECIFICATIONS FOR UNIVERSAL MOBILE REFUSE CONTAINERS

1. General

1.1 General Description

The Mobile Refuse Container shall be designed to contain the average solid waste material accumulated by a household in one (1) week's time. The container shall be warranted against material and workmanship defects for no less than 10 years, during which time it will be generally maintenance-free under normal usage conditions. The bidder shall submit a copy of its warranty. The container shall be equipped with suitable wheels, lift bars, handle, and general design so that it can be maneuvered, lifted and dumped by automatic lifting units.

Make/Model:

Make/Model:

1.2. Quantity

The successful bidder may provide up to:

2,500 Green Carts

1500 Blue containers

This will be in accordance with specifications, however all carts will be ordered on an as needed basis and not necessarily at one time.

1.3 Color

The refuse container body, lid and other plastic components shall be **green for the 96-gallon carts.**

The recycling container body; lid and other plastic components shall be **blue for the 96 gallon carts.**

2. ATERIAL

2.1 Process

The City prefers a container manufactured using the injection, rotational or blow molding or equivalent.

2.2 Materials

The container shall be made from high-density polyethylene (HDPE) or equal.

2.3 Coloration and ultraviolet
Inhibitors

The containers shall be colored upon request from the City with the following requirements. Color shall be obtained by the introduction of color pigments dispersed into the resin in order to obtain uniform distribution in the finished container. Color pigment shall be hot melt or hot mix blended to a uniform mix prior to the molding.

The containers shall be protected against color fading and stabilizing against ultraviolet rays by an additive to the plastic resin of one half (1/2) of 1% of U.V. 531 or equal. Stabilizers shall not be hot melt compounded into the resin.

2.4 Certification

Bidders must supply certificates from virgin resin suppliers, indicating the actual source of the resin and the specifications of the resin.

3. Construction

3.1 Capacity

The container capacity is 96 gallon when full, excluding additional volume achieved by the domed lid in the closed position.

State Capacity: _____ gallons

3.2 Dimensions

Green:

The exterior dimensions of the completely assembled container shall be as follows:

Height:	41" Minimum	48" Maximum	
Length/Depth		36" Maximum	
Width		31" Maximum	
Wheel		10" or 12"	+/- 2%

State Dimensions:

Height: _____ inch

Depth: _____ inch

Width: _____ inch

3.3 Weight of the Container

State the fully assembled weight of the container. _____

3.4 Interior Construction

The interior surface shall be smooth and free from crevices, recesses, projections and other obstructions where refuse could become entrapped or entangled. The interior construction and shape shall assure the free flow of solid waste contents from the container when dumped.

3.5 Exterior Construction

The exterior surface shall be smooth, free of sharp corners, edges, or structures that could be hazardous or harmful.

3.6 Lid/Hinge

The lid shall be securely attached to the container by way of hinge/handle. The lid shall open freely to the 270 degrees position.

The lid shall be designed in such manner to ensure that the container will be 100% watertight and shall continuously overlap the container body. The continuous overlapping of the body must prevent rainwater, rodents and birds from intruding into the container.

3.7 Handle

The handle shall be of one molded piece and shall extend in full length. Each gripping area shall provide enough space for gloved hand to be placed.

The container must have wind stability rating of no less than 35 mph without falling over. **Wind tunnel tests performed by independent laboratory shall be submitted with the bid.**

3.8 Wheels/Axle

The container shall be equipped with an axle and two wheels. The wheels and axle shall be designed so as to provide the specified wind stability.

The wheels shall consist of a plastic molded and shall be 10 inches in diameter. The wheels shall be fully functional for supporting the specified maximum container weight. Wheel bearing shall be self-lubricating.

The axle shall be solid steel, diameter of ¾ inch and plated for corrosion resistant. Wheel shall be designed for (snap-on) assembly. They shall be tamper proof and not easily removed with ordinary tools. Wheel assemblies using bolts, washer, cotter keys, end caps or any combination that require hand tools for assembly shall not be considered.

3.9 Tipping Fulcrum

The container must be provided with adequate foot fulcrum or a tipping leverage. The container must be capable of being easily transported on a level, sloped or stepped surface in two directions.

4. PERFORMANCE SPECIFICATIONS

4.1 ANSI Compliance

The container shall be in full compliance with the American National Standard ANSI Z245.60. **The bidder shall provide a compliance certification that the container(s) provided to the City meet the requirements of this standard. Please contact Sanitation Department prior to sending @ 501.450.6155.**

4.2 Cart load rating

The container shall be capable of accommodating a load weighing up to 300 lbs., exclusive of the weight of the container.

4.3 Mobility

The container shall be stable and self-balancing in its upright position when either empty or loaded to its minimum design load capacity.

The container shall be capable of easily moved and maneuvered, with an evenly distributed load equal in weight to minimum design capacity on a level sloped or stepped surface in two directions.

The container shall have sufficient stability against winds

4.4 Abrasion protection

The container shall withstand dragging along streets and driveways as well as the normal abrasion caused by the dumping operation.

4.5 Container pick up points

The container must be capable of being picked up in either a semi-automated or fully automated application.

Semi-Automated:

The pickup points on the container shall fit all standards domestic lifter designs.

Fully-Automated:

The container shall be designed in such a manner that it can be engaged by a fully automated grasping arm of either the belted or non-belted design. The container shall be able to withstand squeezing and dropping throughout its expected lifetime without showing the slightest change in its functionality or structural integrity.

The container-exposed parts shall be easily repairable.

This side towards curb (lid open side)

5. CONTAINER REPARABILITY

6. MARKINGS

DO: Rinse with hose occasionally
Keep lid on container

DO NOT: Place hot ashes, charcoal or other hot materials, paints solvents or flammable liquids in the cart.

Leave on curb for extended period after collection.

Drag cart

Property of the City of Conway - To be placed on top of lid NEW City of Conway Sanitation Department Logo - Both sides of cart (Artwork if needed can be emailed; please send request to felicia.rogers@cityofconway.org)

Front: Serial Numbers starting with 015-0000

7. Warranty

All bidders shall include a copy of their warranty with their bids.

8. References

All bidders shall demonstrate their experience in manufacturing containers by furnishing a list of U.S. municipalities using the proposed containers of the size, design and material offered. The list must show at least 3 municipalities, each having a minimum of 10,000 of the proposed containers. The name and telephone number of a contact person at each of the references shall be provided.

Additional Information

The bidder shall include all charges, including taxes, fees, and shipping (if applicable)

The bidder needs to include an anticipated delivery date. (if applicable)

In submitting this bid, it is understood by the undersigned bidder that the right is reserved by the City of Conway to reject any and all bids:

Contact Information: Cheryl Harrington
Sanitation Director
cheryl.harrington@cityofconway.org

Danny Alford
Danny.alford@cityofconway.org

Rebecca McHughes
501.450.6155
rebecca.mchughes@cityofconway.org

Bid Specifications can be obtained from our website:
www.cityofconway.org



**City of Conway – Annual Bid_Sanitation
Universal Refuse Roll (Green Carts) &
Universal Mobile Recycling Containers (Blue Carts)
Bid Number: 2015-07
Bid Opening Date: Wednesday, December 10th, 2014
City Hall, Downstairs Conference Room @ 10:00am**

Authorized Agent bidding on this project:

Company Name

Company Representative Name

Representative's Signature

Date

Address

Email Address

City

State

Zip

Telephone Number

Fax Number

****Please include a separate sheet with cost of each product.***

****Unsigned bids will not be accepted.***

City of Conway – Mayor’s Office
Terms & Conditions
www.cityofconway.org
Important – Read Carefully

By Submission of bid, bidder certifies that he has read all terms and conditions and that bid is submitted in accordance therewith.

1. Prices quoted will be considered to be net prices unless otherwise stated by the bidder. Cash discounts requiring payments in less than 30 days will not be considered in making awards.
2. Prices quoted shall be FOB Conway unless otherwise specifically stated on proposal. In either case, delivery charges must be prepaid.
3. All charges including taxes, shipping, freight, and any miscellaneous taxes shall be included in prices quoted, if applicable.
4. Bidder certifies that he will make delivery of items for which he bids within 10 days after receipt of award – ***unless otherwise specifically stated***. Time of delivery in excess of 10 days may be considered a factor in making awards.
5. In case of default of contractor in making deliveries as per contract, the City may procure the articles or services from other sources and hold the contractor responsible for all excess costs occasioned thereby. Bidder’s record as to satisfactory performance under previous contracts will be considered a factor in making awards and retention on bid lists.
6. The City reserves the right to reject any or all bids, in part or in whole and to waive information in bids received.
7. If not otherwise specified, bidder must furnish brand names with catalog number, if any, on items which are offered as “equal.” In all such cases the burden of establishing equality is upon the bidder and failure to do so within a reasonable time may result in rejection. Alternative bids will not be considered unless no other type bid for the item is received.
8. In the case of equal or tie bids, preference will be given to Arkansas bidders. Other than as stated in the first sentence, awards on tie bids will be made at the discretion of the purchasing official. In such cases, “splitting” will be avoided and awards of previous contract(s) to one or more of the bidders will not be a factor.
9. In the event that bidder is unable to furnish all of an item, bids on portions thereof may be considered.
10. Final inspections and acceptance or rejection will be made after delivery. Items rejected because of non-conformance shall be removed and replaced immediately with those which meet specifications, all at the expense of the contractor. In the event that necessity requires the use of non-conforming items, payment therefore will be made at a proper reduction in price which shall be not greater than contractor’s actual cost by purchase, fabrication, manufacture or other production method plus transportation paid to carriers. All costs in connection with testing items that do not meet specifications shall be paid by contractor.
11. Quality, time of performance, probability of performance, and location of bidder will be factors in awards of all contracts.
12. The City reserves the right to purchase any, all or none of the items listed, in combinations thereof that may be in the best interest of the City of Conway.
13. The City reserves the right to change any specifications, terms and/or conditions at any time, with adequate notice in writing to bid invitees of those changes, if any.
14. The City is qualified for “GSA” pricing schedules, ***if available and applicable***.
15. The City reserves the right to waive any informalities or minor defects, but this shall not be construed to indicate waiver of any specification, term and/or condition unless in the best interest of the City in the judgment of the City.
16. **CONSTRUCTION/INSTALLATION:** Any construction work that is worth \$20,000 or more must comply with Arkansas Code Annotated § 22-9-204.
17. **Arkansas Prevailing Wage Law A.C.A. §22-9-301 through 3-15:** The City of Conway, general contractors or any subcontractors is subject to the Arkansas Prevailing Wage Law, A.C.A. **§22-9-301 through 3-15.**

The Labor Standards Division enforces laws related to [prevailing wage](#) (PDF). Arkansas's prevailing wage law is commonly referred to as the "little Davis-Bacon Act." The law requires the division to issue a wage determination for each public works project where the cost of all labor and materials exceeds \$75,000. *Exemptions are public school construction; work done for or by any drainage, improvement, or levee district; highway, road, street or bridge construction and maintenance, or related work contracted for or performed by incorporated towns, cities, counties, or the Arkansas Highway Department.* If you need a copy of the Prevailing wage Regulation and Laws that are required; this information is available at http://www.arkansas.gov/labor/pdf/prevailing_wage_regs.pdf.

18. **PROHIBITED INTEREST CONDITION:** No official of the City authorized on behalf of the City to specify, plan, design, negotiate, make, accept or approve, or take part in specifying, planning, negotiating, making, accepting or approving any construction or material purchase contract or any subcontract in connection with any purchase made by the City of Conway shall become directly or indirectly interested personally in the purchase in the purchase or any part thereof.
19. **EQUAL OPPORTUNITY IN EMPLOYMENT:** The City of Conway is an Equal Opportunity Employer and does not discriminate on the basis of race, color, religion, sex, national origin, marital or veteran status, political status, disability status or other legally protected status