



ADDENDUM #1

(May 30, 2017)

Attention: Animal Welfare Unit Roof Replacement
BID 2017-16

Subject: Addendum to Animal Welfare Roof Demolition and Replacement

The enclosed Speculation has been amended to reflect that “new skylights (4 Skylights)” will not be listed in the speculations. If you do include skylights in your bid, please make sure they are priced separately.

The City of Conway would like to further disclose that the Square footage of the Animal Welfare Unit is approximately 4,800 square feet.

The City of Conway would also like to clarify the opening date for Bid 2017-16, Animal Welfare Roof Replacement is June 2, 2017 at 10:00 a.m. local time.

Please include a signed copy of this addendum with your proposal.

Thank you for your attention to this matter.

Sincerely,

Jamie Brice
Purchasing Manager, City of Conway
(501) 358-6810

Jamie.brice@cityofconway.org

I acknowledge that I have read and understood the addendum:

FIRM NAME: _____
Please Print

SIGNED BY: _____

INSTALL TPO RETRO FIT TO INCLUDE:

- >Deconstruction/Demolition of existing roofing and accessories, to include hauling and dump charges
- >Cut back metal panel overhang at gutter to prepare for system.
- >Install new wood nailor at perimeter
- >Install EPS flute fill insulation between all flutes
- >Install 1.1" Insulation board
- >Install TPO coated metal edge
- >Install 60mil TPO system
- >Properly install flashing around PVC pipe and properly flash around skylights
- >Install Joint Sealants, caulking

Warranty Minimum- 2-year labor / 20 year manufactures warranty